

# BRYOPHYTA SELECTA EXSICCATA

published by

National Science Museum, Tokyo

edited by

Hiroshi INOUE

Fasc. VII (no. 301-350)

March 1, 1976

## HEPATICAE

301. **Acrolejeunea pusilla** (STEPH.) GROLLE et GRADST.  
In Gradstein, Jorun. Hattori Bot. Lab. 38: 332 (1974).  
JAPAN: Ogawago, Watarai-cho, Mie Pref.  
On bark of *Zelkova serrata* along small stream; elevation about 50 m.  
Coll. K. YAMADA, May 18, 1975. Det. K. YAMADA; Ver. H. INOUE
302. **Anastrophyllum gambaragarae** GOLA  
Annali Bot. 6: 274 (1907).  
TANZANIA: Along the Umbwe Route between Umbwe and Lonzo, Mts. Kilimanjaro.  
On volcanic rocks; elevation about 3600 m.  
Coll. T. Pócs, Sept. 20, 1972. Det. T. Pócs
303. **Blepharostoma trichophyllum** (L.) DUM. subsp. *brevirete* (BRYHN et KAAL.) SCHUST.  
In SCHUST., STEERE et THOMSON, Nat. Mus. Canada Bull. 164: 16 (1959).  
U.S.A.: Near Umiat, Alaska.  
On humus in wet tundra; elevation about 1000 feet.  
Coll. H. INOUE and W. C. STEERE, June 23, 1973. Det. H. INOUE
304. **Bazzania robusta** SPRUCE  
Trans. Proc. Bot. Soc. Edinburgh 15: 378 (1885).  
COLOMBIA: Paramo de Sumapaz, Cerro Nevado del Sumapaz.  
On humus; elevation about 3700 m.  
Coll. A. M. CLEEF, Jan. 21, 1973. Det. S. R. GRADSTEIN
305. **Cephalozia pleniceps** (AUST.) LINDB.  
Meddel. Soc. F. Fl. Fennica 9: 158 (1908).  
U.S.A.: Around the Mead River Camp, ca. 60 miles S of Barrow, Alaska.  
On wet soil in tundra; elevation about 50 m.  
Coll. H. INOUE and W. C. STEERE, July 15, 1973. Det. H. INOUE
306. **Cephaloziella exiliflora** (TAYL.) DOUIN  
Mem. Soc. Bot. France 29: 72 (1920).  
AUSTRALIA: Mt. Aranga, Tallongatta, Victoria.  
On log in dry sclerophyll forest.  
Coll. G. A. M. SCOTT, May 28, 1975. Det. G. A. M. SCOTT
307. **Cheilolejeunea nipponica** (HATT.) HATT.  
Misc. Bryol. Lichenol. 1(14): 1 (1957).  
JAPAN: Around Kampira Fall, Iriomote Isl., The Ryukyu Isls.  
On moist rock along stream; elevation about 10 m.  
Coll. H. INOUE, Jan. 14, 1973. Det. H. INOUE

II

308. **Cololejeunea peraffinis** (SCHIFFN.) SCHIFFN.  
Conspec. Hepat. Archip. Indici: 245 (1898).  
JAPAN: Shichikawa Experimental Forest, Kozagawa-cho, Wakayama Pref.  
On bark of *Cryptomeria japonica*; elevation about 400 m.  
Coll. T. KODAMA, Dec. 25, 1975. Det. T. KODAMA; Ver. H. INOUE
309. **Denotarisia linguifolia** (De Not.) GROLLE  
Fedd. Repert. 82: 6 (1971).  
BORNEO: Around Panar Laban Hut, Mt. Kinabalu, Sabah.  
On base of tree-trunk; elevation 3300 m.  
Coll. T. KODAMA, March 21, 1974. Det. T. KODAMA; Ver. H. INOUE
310. **Frullania ericoides** (NEES) MONT.  
Ann. Sci. Nat. Bot. ser. 2, 12: 51 (1839).  
CEYLON: Hakgala Botanic Gardens, Nuwara Eliya.  
On tree-trunk; elevation about 6100 feet.  
Coll. H. INOUE, March 7, 1966. Det. S. HATTORI
311. **Gottschelia schizopleura** (SPRUCE) GROLLE  
Journ. Hattori Bot. Lab. 31: 16 (1968).  
PAPUA NEW GUINEA: Highland-grassland, above the Abios Hut, Mt. Albert Edward, Central District.  
On moist bank along trail, with *Isotachis armata*; elevation about 2500 m.  
Coll. T. NAKAIKE, Jan. 18, 1974. Det. H. INOUE
312. **Jamesoniella undata** (MONT.) STEPH.  
Spec. Hepat. 2: 102 (1901).  
COLOMBIA: Sierra Nevada del Cocuy, Cabeceras de la Quebrada El Playon, Arauca.  
On moist soil, with *Sphagnum* sp.; elevation 4260 m.  
Coll. M. CLEEF, March 12, 1973. Det. S. R. GRADSTEIN
313. **Lejeunea bornensis** STEPH.  
Spec. Hepat. 5: 769 (1915).  
JAPAN: Ogawago, Watarai-cho, Mie Pref.  
On bark of *Cinnamomum camphora*; elevation about 50 m.  
Coll. K. YAMADA, May 18, 1975. Det. K. YAMADA; Ver. H. INOUE
314. **Lepicolea pruinosa** (TAYL.) SPRUCE  
Trans. Procc. Bot. Soc. Edinburgh 15: 345 (1885).  
COLOMBIA: Sierra Nevada del Cocuy, Querbrada El Playon, Arauca.  
On bark of tree; elevation 3000 m.  
Coll. M. CLEEF, June 10, 1973. Det. S. R. GRADSTEIN
315. **Lophozia diversiloba** HATT.  
Journ. Jap. Bot. 20: 265 (1944).  
JAPAN: Around Jumonji Pass, Chichibu Mts., Saitama Pref.  
On moist limestone cliff; elevation about 1900 m.  
Coll. H. INOUE, July 26, 1965. Det. H. INOUE
316. **Metacalypogeia quelpaertensis** HATT. et INOUE  
Journ. Hattori Bot. Lab. 25: 129 (1962).  
JAPAN: Mikisato, Owase, Mie Pref.  
On moist granite rock along stream; elevation about 100 m.  
Coll. K. YAMADA, Oct. 5, 1973. Det. K. YAMADA; Ver. H. INOUE

317. **Plagiochila columbiana** EVANS  
 Bot. Gaz. 21: 189 (1896).  
 U.S.A.: Along Eno River at end of State Road 1569, W of Hillsborough, North Carolina.  
 On alluvial soil under trees and shrubs.  
 Coll. N. G. MILLER (no. 7749), Sept. 1, 1974. Det. N. G. MILLER
318. **Plagiochila dendroides** (NEES) NEES  
 In LINDBG., Monogr. Hepat. gen. Plagiochilae: 146 (1844).  
 PAPUA NEW GUINEA: Around Abios Hut, Mt. Albert Edward, Central District.  
 On bark of tree in mossy forest; elevation about 2400 m.  
 Coll. T. NAKAIKE, Jan. 18, 1974. Det. H. INOUE
319. **Plagiochila fuscolutea** TAYL.  
 London Journ. Bot. 5: 263 (1846).  
 COLOMBIA: Cabeceras de la Quebrada Chuza, Cundinamarca.  
 On bark of tree; elevation 3550 m.  
 Coll. M. CLEEF, April 28, 1973. Det. H. INOUE
320. **Plagiochila gymnoclada** Sande LAC.  
 Ned. Kruidk. Archief. Leiden 4: 93 (1859).  
 BORNEO: Around Paca Cave, Mt. Kinabalu, Sabah.  
 On tree trunk in mossy forest; elevation about 3000 m.  
 Coll. T. KODAMA, March 22, 1974. Det. H. INOUE
321. **Plagiochila undata** SULL.  
 Musci Alleghaniensis: 53 (1846).  
 U.S.A.: Along New Hope Creek near Chapel Hill, North Carolina.  
 On sides of massive boulder in woods.  
 Coll. N. G. MILLER (no. 7748), Sept. 1, 1974. Det. N. G. MILLER
322. **Porella perrottetiana** (Mont.) TREV.  
 Mem. Real. Istit. Lombardo ser. 3, 4: 408 (1877).  
 JAPAN: Hosokubo Valley, Urayama, Chichibu Mts., Saitama Pref.  
 On moist rock in shaded place; elevation about 600 m.  
 Coll. H. INOUE, Nov. 22, 1954. Det. H. INOUE
323. **Ptychanthus striatus** (LEHM. et LINDBG.) NEES  
 Naturg. Eur. Leberm. 3: 212 (1838).  
 JAPAN: Shichikawa Experimental Forest, Kozagawa-cho, Wakayama Pref.  
 On moist rock in shaded place; elevation about 280 m.  
 Coll. T. KODAMA, Dec. 26, 1975. Det. T. KODAMA; Ver. H. INOUE
324. **Rhaphidolejeunea cyclops** (Sande LAC.) HERZ.  
 Mitt. Thur. Bot. Verein 50: 104 (1943).  
 BORNEO: Poring Hot Spring, Kinabalu National Park, Sabah.  
 On living leaves; elevation about 600 m.  
 Coll. T. KODAMA, March 28, 1974. Det. T. KODAMA; Ver. H. INOUE
325. **Scapania robusta** HORIK.  
 Journ. Sci. Hiroshima Univ. ser. b, div. 2, 1: 124 (1932).  
 TAIWAN: Tai-ping Shan, Illan Hsien.  
 On humus in mossy forest; elevation about 2000 m.  
 Coll. H. INOUE, March 5, 1967. Det. H. INOUE

## MUSCI

326. *Aerobryopsis scariosa* BARTR.  
*Philipp. Journ. Sci.* 68: 223 (1939).  
 HAWAIIAN ISLS: Mokuleia Forest Reserve, Waianae Mts., Isl. Oahu.  
 On windward side of ridge, on ground mixed with grasses; elevation about 2500 feet.  
 Coll. W. J. HOE, March 26, 1972. Det. W. J. HOE
327. *Anomodon viticulosus* (HEDW.) HOOK. et TAYL.  
*Musc. Brit.*: 79 (1818).  
 JAPAN: Shiroiwa, Itsuki-mura, Kumamoto Pref.  
 On limestone cliff at semishaded place; elevation about 400 m.  
 Coll. H. INOUE, Oct. 27, 1974. Det. Z. IWATSUKI
328. *Breutelia tomentosa* (BRID.) JAEG.  
*Ber. S. Gall. Naturw. Ges.* 1873-74: 93 (1875).  
 COSTA RICA: Cordillera de Talamanca, Cartago.  
 On soil; elevation about 2920 m.  
 Coll. A. M. CLEEF and L. A. FOURNIER, Aug. 21, 1973. Det. P. A. FLORSCHUTZ
329. *Calyptothecium hookeri* (MITT.) BROTH.  
 In ENGLER & PRANTL, *Nat. Pfl.-fam.* 1(3): 839 (1906).  
 NEPAL: Between Gunpha (Shita) Pokhari and Chauke, East Nepal.  
 On tree-trunk; elevation about 2600 m.  
 Coll. Z. IWATSUKI, July 4, 1972. Det. Z. IWATSUKI
330. *Cryphaea dilatata* HOOK. f. et WILS.  
*Fl. Nov. Zel.* 2: 102 (1854).  
 AUSTRALIA: Mitchell River near Tabbarabbara, East Victoria.  
 On branches of *Tristania laurina*, liable to inundation.  
 Coll. G. A.M. SCOTT, April 23, 1973. Det. G. A.M. SCOTT
331. *Grimmia laevigata* (BRID.) BRID.  
*Bryol. Univ.* 1: 183 (1826).  
 AUSTRALIA: Mt. Cranya, Tallangatta, Victoria.  
 On granite boulders in dry sclerophyll forest.  
 Coll. G. A. M. SCOTT, May 25, 1975. Det. G. A. M. SCOTT
332. *Gymnostomum recurvirostrum* HEDW.  
*Spec. Musc.*: 33 (1801).  
 JAPAN: Mt. Jumonji, Chichibu Mts., Saitama Pref.  
 On moist limestone cliff; elevation about 2600 m.  
 Coll. H. INOUE, May 25, 1971. Det. A. NOGUCHI
333. *Hylocomium splendens* (HEDW.) B.S.G.  
*Bryol. Europ.* 5: 173 (1852).  
 JAPAN: Mt. Gozen-yama, Hagiwara-cho, Gifu Pref.  
 On moist rock along small stream; elevation about 900 m.  
 Coll. K. YAMADA, Oct. 11, 1970. Det. Z. IWATSUKI
334. *Hypnum cupressiforme* HEDW. var. *lacunosum* Brid.  
*Musci Rec.* 2(2): 136 (1801).  
 MEXICO: Zacatal alpino, Iztaccihuatl.  
 On soil in grassland; elevation about 2950 m.  
 Coll. A. M. CLEEF and C. M. DELGADILLO, Aug. 27, 1973. Det. C. M. DELGADILLO

335. *Leucobryum neilgherrense* C. MUELL.  
 Bot. Zeit. 12: 556 (1854).  
 JAPAN: Mt. Motchomu, Ambo, Yakushima Isl., Kagoshima Pref.  
 On humus covered on rock; elevation about 300 m.  
 Coll. K. SAITO, Feb. 18, 1971. Det. Z. IWATSUKI
336. *Leucodon exaltatus* C. MUELL.  
 Nuov. Giorn. Bot. Ital. n. ser. 3: 112 (1896).  
 JAPAN: Around Hirogahara, Ashiyasu, Yamanashi Pref.  
 On bark of *Fagus crenata*; elevation about 400 m.  
 Coll. H. INOUE, Aug. 20, 1974. Det. A. NOGUCHI
337. *Macromitrium japonicum* Doz. et MOLK.  
 Ann. Sci. Nat. Bot. ser. 3, 2: 311 (1844).  
 JAPAN: Around Shirahama, Iriomote Isl., the Ryukyu Isls.  
 On bark of *Pinus thunbergii*; elevation about 10 m.  
 Coll. H. INOUE, Jan. 11, 1973. Det. Z. IWATSUKI
338. *Neckeropsis nitidula* (MITT.) FL.  
 Musci Fl. Buitenzorg 3: 882 (1908).  
 JAPAN: Isshochi, Kuma-gun, Kumamoto Pref.  
 On limestone cliff along small stream; elevation about 500 m.  
 Coll. H. INOUE, Feb. 22, 1974. Det. Z. IWATSUKI
339. *Paludella squarrosa* (HEDW.) BRID.  
 Spec. Musc. 3: 71 (1817).  
 U.S.A.: Around Umiat, Alaska.  
 On humus in tundra near swamp; elevation about 1000 feet.  
 Coll. H. INOUE, June 23, 1973. Det. Z. IWATSUKI
340. *Philonotis falcata* MITT.  
 Journ. Linn. Soc. Bot. London, suppl. 1: 62 (1859).  
 JAPAN: Mt. Petegari, Hidaka Mts., Hokkaido.  
 On moist rock near water fall; elevation about 400 m.  
 Coll. H. INOUE, July 27, 1970. Det. Z. IWATSUKI
341. *Physcomitrium readeri* C. MUELL.  
 Gen. Musc. Fr.: 112 (1900).  
 AUSTRALIA: Lake Hume, Tallangatta, Victoria.  
 On exposed mud on lake shore.  
 Coll. G. A. M. SCOTT, May 30, 1975. Det. G. A. M. SCOTT
342. *Polytrichum sphaerothecium* (BESCH.) C. MUELL.  
 Gen. Musc. Fr.: 176 (1900).  
 JAPAN: Mt. Rishiri, Isl. Rishiri, Hokkaido.  
 On sandy soil on rock; elevation about 1700 m.  
 Coll. K. SAITO, Aug. 31, 1970. Det. Z. IWATSUKI
343. *Pseudosymblepharis papillostula* (CARD. et THER.) BROTH.  
 In ENGLER & PRANTL, Nat. Pfl.-fam. ed. 2, 10: 261 (1924).  
 JAPAN: Mt. Ishidate, Kochi Pref.  
 On moist limestone boulder; elevation about 1300 m.  
 Coll. K. SAITO, June 4, 1972. Det. K. SAITO

VI

344. **Ptilium crista-castrensis** (HEDW.) De Not.  
Cronac. Briol. Ital. 2: 17 (1867).  
JAPAN: Nakayama Pass, Mt. Yatsugadake, Yamanashi Pref.  
On humus; elevation about 2400 m.  
Coll. K. SAITO, Sept. 4, 1972. Det. Z. IWATSUKI
345. **Rhytidia delphus triquetrus** (HEDW.) WARNST.  
Krypt. Fl. Brandenburg 920: 996 (1906).  
JAPAN: Aokigahara National Forest, northern slope of Mt. Fuji, Yamanashi Pref.  
On humus under *Tsuga-Abies* forest; elevation about 2000 m.  
Coll. H. INOUE, June 18, 1971. Det. Z. IWATSUKI
346. **Scopelophyila ligulata** (SPRUCE) SPRUCE  
Journ. Bot. n. ser. 10: 14 (1881).  
JAPAN: Kurasawa, Nippara, Nishitama-gun, Tokyo Pref.  
On moist rock at limestone area; elevation about 500 m.  
Coll. K. SAITO, Sept. 3, 1973. Det. K. SAITO
347. **Sphagnum portoricense** HAMPE  
Linnaea 25: 259 (1852).  
U.S.A.: Green Swamp area, 6 miles southeast of Bolton, Brunswick County, North Carolina.  
Submerged in roadside ditch.  
Coll. N. G. MILLER, March 23, 1974. Det. N. G. MILLER
348. **Syrrhopodon glaziovii** HAMPE  
Vid. Medd. Naturh. For., Kjøbenhavn. ser. 3, 6: 133 (1875).  
BRASIL: Northern side of Ilha do Cardoso, Cananeia, São Paulo.  
On sandy soil at humid, low forest; elevation about 700 m.  
Coll. D. M. VITAL, May 23, 1974. Det. D. M. VITAL
349. **Tetraplodon mnioides** (HEDW.) B.S.G.  
Bryol. Europ. 3: 215 (1844).  
U.S.A.: Around Point Barrow, Alaska.  
On humus in wet tundra; elevation about 10 m.  
Coll. H. INOUE, June 19, 1973. Det. Z. IWATSUKI
350. **Vesicularia reticulata** (Doz. et MOLK.) BROTH.  
In ENGLER & PRANTL, Nat. Pfl.-fam. 1(3): 1094 (1908).  
JAPAN: Hinaisa Fall, Isl. Iriomote, the Ryukyu Isl.  
On moist rock along small stream; elevation about 10 m.  
Coll. H. INOUE, Jan. 14, 1973. Det. Z. IWATSUKI