

Table 2. Diatom taxa described by Castracane (1886)

| Genus  | Species                                     | Page                                  | Plate-Figure     | Sea / Ocean                        | Plate (Tuji et al., 2009) |      |
|--|---|---------------------------------------|------------------|------------------------------------|---------------------------|------|
| <i>Achnanthes</i>                            | <i>keruelensis</i>                          | 41                                    | xx-15            |                                    |                           |      |
|  | <i>parallela</i>                            | 41                                    | xix-11           |                                    |                           |      |
| <i>Actinocyclus</i>                          | <i>anceps</i>                               | 146                                   | iv-1             | Sea of Japan                       |                           |      |
|  | <i>clevei</i>                               | 143                                   | iv-6             | Sea of Japan                       |                           |      |
|  | <i>complanatus</i>                          | 145                                   | iv-9             | Sea of Japan                       | 1                         |      |
|  | <i>denticulatus</i>                         | 146                                   | iv-5             |                                    | 2                         |      |
|  | <i>fasciculatus</i>                         | 144, 145                              | iv-8             |                                    |                           |      |
|  | <i>japonicus</i>                            | 143                                   | iv-3             | the vicinity of the coast of Japan |                           |      |
|  | <i>pellucidus</i>                           | 147                                   | xxix-13          | an inland sea at Japan             |                           |      |
|  | <i>pruinosis</i>                            | 144, 146, 147                         | iv-2             | Pacific Ocean                      | 1                         |      |
|  | <i>punctulatus</i>                          | 146                                   | xvi-3            | Sea of Japan                       |                           |      |
|  | <i>rafsii</i> var. <i>challengerensis</i>   | 143                                   | xxx-1            | the neighbourhood of Japan         |                           |      |
| <i>Actinopychus</i>                          | <i>umbonatus</i>                            | 145                                   | iv-4             | Antarctic Ocean                    |                           |      |
|  | <i>erosus</i>                               | 128                                   | vii-8            |                                    |                           |      |
| <i>Alloioneis</i>                            | <i>raeanus</i>                              | 127                                   | vii-4            |                                    |                           |      |
|  | <i>japonica</i>                             | 36                                    | xx-12, bis       | Sea of Japan                       |                           |      |
| <i>Amphiprora</i>                            | <i>fimbriata</i>                            | 40                                    | xxvii-15         | Pacific Ocean                      |                           |      |
|  | <i>plicata</i> var. <i>japonica</i>         | 40                                    | xxx-8            | Sea of Japan                       |                           |      |
| <i>Ampora</i>                                | <i>decora</i>                               | 18                                    | xxvii-14         |                                    |                           |      |
|  | <i>meneghiniana</i>                         | 17                                    | xxvii-16         |                                    |                           |      |
|  | <i>oceanica</i>                             | 20                                    | xxvii-20         |                                    |                           |      |
|  | <i>philippinica</i>                         | 19                                    | xxvii-2          |                                    |                           |      |
|  | <i>polyzonata</i>                           | 18                                    | xxvii-18         |                                    |                           |      |
|  | <i>scalaris</i>                             | 18                                    | xxvii-19         |                                    |                           |      |
|  | <i>staurophora</i>                          | 20                                    | xxvii-6          |                                    |                           |      |
|  | <i>thaitiana</i>                            | 19                                    | xxvii-15         |                                    |                           |      |
|  | <i>Asrerionella</i>                         | <i>glacialis</i>                      | 50, 51           | xiv-1                              | Antarctic Ocean           |      |
|  | <i>Asterolampra</i>                         | <i>grevillii</i> var. <i>eximia</i>   | 136              | v-5                                |                           |      |
| <i>Asteromphalus</i>                         | <i>antarcticus</i>                          | 135                                   | xvi-11           | Antarctic Ocean                    |                           |      |
|  | <i>challengerensis</i>                      | 134                                   | v-2              | Antarctic Ocean                    |                           |      |
|  | <i>ovatus</i>                               | 132, 133                              | v-7              | Antarctic Ocean                    |                           |      |
|  | <i>roperianus</i> var. <i>atlantica</i>     | 133                                   | v-3              |                                    |                           |      |
|  | <i>wyvilii</i>                              | 134                                   | v-6              |                                    |                           |      |
| <i>Bacillaria</i>                            | <i>socialis</i> var. <i>indica</i>          | 69                                    | xxv-9, 10        |                                    |                           |      |
| <i>Bacteriastrum</i>                         | <i>brevispinum</i>                          | 83                                    | xv-8             |                                    |                           |      |
|  | <i>spirillum</i>                            | 83                                    | xix-2, xxix-1    |                                    |                           |      |
|  | <i>varians</i> var. <i>princeps</i>         | 84                                    | xix-2, xxix-3    |                                    |                           |      |
|  | <i>walchii</i> var. <i>hispidia</i>         | 83                                    | xv-8             |                                    |                           |      |
|  | <i>Biddulphia</i>                           | <i>japonica</i>                       | 104              | xxiii-14                           | Sea of Japan              |      |
|  | <i>ornata</i> var. <i>hirsuta</i>           | 105                                   | xxiii            | Sea of Japan                       |                           |      |
|  | <i>parallela</i>                            | 103                                   | xxiii-10, xxvi-7 | Sea of Japan                       |                           |      |
|  | <i>pellucida</i>                            | 103                                   | xxvi-5           |                                    |                           |      |
|  | <i>pellucida</i> var. <i>major</i>          | 102                                   | xxiii-6          |                                    |                           |      |
|  | <i>pumila</i>                               | 103                                   | xxiii-12         | Sea of Japan                       |                           |      |
|  | <i>reticulata</i> var. <i>inermis</i>       | 102                                   | xxvi-9           |                                    |                           |      |
|  | <i>tuomeyi</i> var. <i>pacifica</i>         | 106                                   | xxx-6            |                                    |                           |      |
| <i>Brightwellia</i>                          | <i>murrayi</i>                              | 138                                   | x-2              |                                    |                           |      |
| <i>Campylodiscus</i>                         | <i>anceps</i>                               | 66                                    | xvi-2            |                                    |                           |      |
|  | <i>bicinctus</i>                            | 63                                    | xi-12            | Sea of Japan                       |                           |      |
|  | <i>erosus</i>                               | 63                                    | xi-3             | the vicinity of the coast of Japan |                           |      |
|  | <i>humilis</i>                              | 64                                    | xi-8             |                                    |                           |      |
|  | <i>japonicus</i>                            | 62                                    | xi-1             | Sea of Japan                       |                           |      |
|  | <i>lepidus</i>                              | 63, 64, 65                            | xi-7             |                                    |                           |      |
|  | <i>nitens</i>                               | 65                                    | xi-6             |                                    |                           |      |
|  | <i>oceanicus</i>                            | 65                                    | xi-4             |                                    |                           |      |
|  | <i>orbicularis</i>                          | 64                                    | xvi-10           | Sea of Japan                       |                           |      |
|  | <i>philippinarum</i>                        | 64                                    | xi-9             |                                    |                           |      |
|  | <i>wallichianus</i> var. <i>thaitiensis</i> | 65                                    | xvi-6            |                                    |                           |      |
|  | <i>zebuanus</i>                             | 62, 64                                | xi-10            |                                    |                           |      |
|  | <i>Cerataulus</i>                           | <i>turgidus</i> var. <i>polyceros</i> | 101              | xxvi-6, 8                          | Sea of Japan              |      |
|  | <i>Cestodiscus</i>                          | <i>convexus</i>                       | 123              | vii-6                              |                           | 4    |
|  |   | <i>coronatus</i>                      | 124              | vii-9                              |                           | 3, 4 |
| <i>gemmifer</i>                              |   | 124, 125                              | ii-7             |                                    |                           |      |
| <i>gemmifer</i> var. <i>decreescens</i>      |   | 125                                   | xii-11           |                                    |                           |      |
| <i>parmula</i>                               |   | 125                                   | vii-5            |                                    |                           |      |
| <i>rapax</i>                                 |   | 125                                   | xviii-2          |                                    |                           |      |
| <i>trochus</i>                               |   | 123                                   | vii-1            |                                    |                           |      |
| <i>Chaetoceros</i>                           |   | <i>convolutum</i>                     | 78               |                                    | Antarctic Ocean           |      |
|  |   | <i>criophilum</i>                     | 78               |                                    | Antarctic Ocean           |      |
|  |   | <i>curvatum</i>                       | 77               |                                    |                           |      |
|  | <i>dicladia</i>                             | 82                                    | viii-1, xix-7, 8 | Antarctic Ocean                    |                           |      |
|  | <i>dispar</i>                               | 76                                    | vii-6            | Antarctic Ocean                    |                           |      |
|  | <i>incurvum</i> var. <i>umbonatum</i>       | 80                                    | xxix-10, 16      |                                    |                           |      |
|  | <i>jamischianum</i>                         | 77                                    |                  | Antarctic Ocean                    |                           |      |
|  | <i>radiculum</i>                            | 79, 80                                |                  |                                    |                           |      |
| <i>Corethron</i>                             | <i>criophilum</i>                           | 85                                    | xxi-14           | Antarctic Ocean                    |                           |      |
|  | <i>hispidum</i>                             | 86                                    | xxi-3, 5         | Antarctic Ocean                    |                           |      |
|  | <i>murrayanum</i>                           | 86                                    | xxi-4            | Antarctic Ocean                    |                           |      |
| <i>Coscinodiscus</i>                         | <i>africanus</i> var. <i>rotunda</i>        | 159                                   | xxiv-3           |                                    |                           |      |
|  | <i>antarcticus</i>                          | 157                                   | xii-10           |                                    |                           |      |
|  | <i>atlanticus</i>                           | 158                                   | v-8              |                                    |                           |      |
|  | <i>bifrons</i>                              | 156, 157                              | ii-1             | Antarctic Ocean                    |                           |      |
|  | <i>comptus</i>                              | 157                                   | xiii-9           | Antarctic Ocean                    |                           |      |
|  | <i>cycloteres</i>                           | 161                                   | xxii-8           | Antarctic Ocean                    |                           |      |
|  | <i>decreescens</i>                          | 159                                   | xii-14           |                                    |                           |      |
|  | <i>denticulatus</i>                         | 155, 158                              | iii-8            |                                    | 9                         |      |
|  | <i>dimorphus</i>                            | 157                                   | xvii-6           |                                    |                           |      |
|  | <i>diophthalmus</i>                         | 163                                   | xvi-4            |                                    |                           |      |
| <i>diophthalmus</i> var. <i>monophthalma</i> | 163   | xvi-7                                 |                  |                                    |                           |      |
| <i>gemmatulus</i>                            | 161   | xvii-9                                |                  |                                    |                           |      |
| <i>janus</i>                                 | 157   | ii-2                                  |                  |                                    |                           |      |
| <i>lanceolatus</i>                           | 164   | xvii-19                               |                  |                                    |                           |      |
| <i>margaritaceus</i>                         | 164   | xviii-3                               | Antarctic Ocean  |                                    |                           |      |

| Genus                | Species                                 | Page     | Plate-Figure           | Sea / Ocean     | Plate (Tuji et al., 2009) |
|----------------------|---|----------|------------------------|-----------------|---------------------------|
|                      | <i>megacoccus</i>                       | 162      | xvii-2                 |                 |                           |
|                      | <i>mirificus</i>                        | 154      | iii-6                  |                 |                           |
|                      | <i>obovatus</i>                         | 160      | vii-4, xviii-7, xxii-9 |                 |                           |
|                      | <i>pacificus</i>                        | 158      | viii-5, xxii-1         |                 |                           |
|                      | <i>papuanus</i>                         | 154, 155 | iii-3                  |                 |                           |
|                      | <i>patera</i>                           | 155      | ii-6                   |                 |                           |
|                      | <i>polygonus</i>                        | 161      | xxii-6                 | Antarctic Ocean |                           |
|                      | <i>polyradiatus</i>                     | 161      | iii-4                  | Antarctic Ocean |                           |
|                      | <i>radiatus</i> var. <i>abyssalis</i>   | 165      | xxix-2, 11, 15         |                 |                           |
|                      | <i>reniformis</i>                       | 160      | xii-12                 |                 | 10                        |
|                      | <i>rhombicus</i>                        | 164      | xxii-11                | Sea of Japan    |                           |
|                      | <i>rudis</i>                            | 162      | xxii-4                 |                 |                           |
|                      | <i>stellaris</i> var. <i>faciculata</i> | 158      | v-9                    | Antarctic Ocean |                           |
|                      | <i>umbonatus</i>                        | 156      | ii-8                   |                 |                           |
|                      | <i>undulatus</i>                        | 159      | viii-3                 |                 |                           |
|                      | <i>variolatus</i>                       | 155      | ii-5                   |                 |                           |
|                      | <i>venulosus</i>                        | 162      | xvii-1                 |                 |                           |
| <i>Cyclophora</i>    | <i>tenuis</i>                           | 58       |                        |                 |                           |
|                      | <i>tenuis</i> var. <i>tropica</i>       | 58       |                        |                 |                           |
| <i>Cyclotella</i>    | <i>fimbriata</i>                        | 141      | xvii-16                |                 |                           |
| <i>Cymbella</i>      | <i>criophila</i>                        | 20, 21   | xxvii-5                |                 |                           |
|                      | <i>marina</i>                           | 20, 21   | xxvii-13               | Sea of Japan    |                           |
|                      | <i>pelagica</i>                         | 21       | xxvii-4                |                 |                           |
| <i>Dactyliosolen</i> | <i>antarcticus</i>                      | 75       | ix-7                   | Antarctic Ocean |                           |
| <i>Dimeregramma</i>  | <i>nanum</i> var. <i>thaitiensis</i>    | 46       | xix-5                  |                 |                           |
| <i>Ethmodiscus</i>   | <i>convexus</i>                         | 167      | iii-9                  |                 |                           |
|                      | <i>coronatus</i>                        | 168      | xxii-7                 |                 |                           |
|                      | <i>diadema</i>                          | 169      | xviii-1                |                 |                           |
|                      | <i>gigas</i>                            | 169, 170 | xiv-5                  |                 |                           |
|                      | <i>humilis</i>                          | 168      | xvii-4                 | Antarctic Ocean |                           |
|                      | <i>japonicus</i>                        | 168      | xxii-2                 |                 |                           |
|                      | <i>obovatus</i>                         | 168      | xvii-5                 |                 |                           |
|                      | <i>perichantinos</i>                    | 169      | xxii-3                 |                 |                           |
|                      | <i>punctiger</i>                        | 167      | iii-1                  | Sea of Japan    |                           |
|                      | <i>radiatus</i>                         | 167      | xii-9                  |                 |                           |
|                      | <i>sphaeroidalis</i>                    | 170      | xxii-10                |                 |                           |
|                      | <i>tympanum</i>                         | 170      | xiv-3                  | Sea of Japan    |                           |
|                      | <i>wyvilleanus</i>                      | 170      | xiv-6                  |                 |                           |
| <i>Eucampia</i>      | <i>blaustium</i>                        | 97       | xvii-5                 | Antarctic Ocean |                           |
|                      | <i>blaustium</i> var. <i>minor</i>      | 98       | xvii-6                 |                 |                           |
| <i>Euodia</i>        | <i>orbicularis</i>                      | 149      | xii-15                 |                 |                           |
|                      | <i>radiata</i>                          | 150      | xii-4                  |                 |                           |
|                      | <i>recta</i>                            | 149      | xii-3                  |                 |                           |
|                      | <i>ventricosa</i>                       | 150      | xii-5                  |                 |                           |
| <i>Eupleuria</i>     | <i>insutus</i>                          | 126      | xix-6                  |                 |                           |
| <i>Fragilaria</i>    | <i>antarctica</i>                       | 56       | xxv-12                 | Antarctic Ocean |                           |
|                      | <i>linearis</i>                         | 56, 57   | xix-9                  | Antarctic Ocean |                           |
| <i>Glyphodesmis</i>  | <i>challengerensis</i>                  | 44       | xviii-13               |                 | 9                         |
|                      | <i>margaritacea</i>                     | 44       | xviii-10               |                 |                           |
|                      | <i>murrayana</i>                        | 43       | xviii-12               |                 | 10                        |
| <i>Hemiaulus</i>     | <i>glacialis</i>                        | 100      | xxv-4                  | Antarctic Ocean |                           |
| <i>Heterodictyon</i> | <i>jeffreysianum</i>                    | 137      | xxi-8                  |                 |                           |
| <i>Hyalodiscus</i>   | <i>subtilis</i> var. <i>japonica</i>    | 140      | xvii-4                 | Sea of Japan    |                           |
| <i>Isthmia</i>       | <i>enervis</i> var. <i>japonica</i>     | 96       | xxv-5                  | Sea of Japan    | 10                        |
| <i>Mastogloia</i>    | <i>kerguelensis</i>                     | 22       | xv-11                  |                 |                           |
|                      | <i>thaitiana</i>                        | 22       | xxvi-11                |                 |                           |
| <i>Lauderia</i>      | <i>elongata</i>                         | 89, 90   | ix-4                   |                 |                           |
|                      | <i>moseleyana</i>                       | 90       | xxiv                   |                 |                           |
|                      | <i>pumila</i>                           | 89       | ix-8                   |                 |                           |
| <i>Melosira</i>      | <i>glomus</i>                           | 95       | xxi-10                 |                 |                           |
|                      | <i>glomus</i> var. <i>major</i>         | 95       | xxiii-4                | Sea of Japan    |                           |
|                      | <i>hyalina</i>                          | 94       | xxi                    |                 |                           |
|                      | <i>thaitiensis</i>                      | 94       | xxi-2                  |                 |                           |
| <i>Molleria</i>      | <i>artarctica</i>                       | 98       | xviii-8                |                 |                           |
| <i>Navicula</i>      | <i>abnormis</i>                         | 27       | xxviii-19              |                 |                           |
|                      | <i>bullata</i> var. <i>carinata</i>     | 29       | xviii-7                |                 |                           |
|                      | <i>bullata</i> var. <i>obtusata</i>     | 29       | xxviii-10              |                 |                           |
|                      | <i>bullata</i> var. <i>rhomboidea</i>   | 30       | xxx-7                  |                 |                           |
|                      | <i>cyclophora</i>                       | 34       | xxviii-18              | Antarctic Ocean |                           |
|                      | <i>decipiens</i>                        | 32       | xxvii-17               |                 |                           |
|                      | <i>entomon</i> var. <i>thaitiana</i>    | 28       | xx-17                  |                 |                           |
|                      | <i>jamischii</i>                        | 29       | xxx-5                  |                 | 9                         |
|                      | <i>kerguelensis</i>                     | 33       | xxviii-16              |                 |                           |
|                      | <i>mammalis</i>                         | 30       | xx-2                   |                 |                           |
|                      | <i>mirabilis</i>                        | 34       | xxx-10                 |                 |                           |
|                      | <i>oxeia</i>                            | 31       | xx-8                   | Sea of Japan    |                           |
|                      | <i>parallela</i>                        | 31       | xxviii-12              |                 |                           |
|                      | <i>subrhomboidea</i>                    | 30       | xx-4                   |                 |                           |
|                      | <i>thaitiana</i>                        | 27, 28   | xx-5                   |                 |                           |
|                      | <i>zanzibarica</i> var. <i>zebuana</i>  | 31       | xxviii-8               |                 |                           |
| <i>Nitzschia</i>     | <i>mammalis</i>                         | 68       | xxix-5                 |                 |                           |
|                      | <i>obesa</i>                            | 67       | xii-11                 |                 |                           |
|                      | <i>plana</i> var. <i>zebuana</i>        | 67       | xiii-10                |                 |                           |
|                      | <i>vermiculata</i>                      | 68       | xiii-12                |                 |                           |
| <i>Omphalopelta</i>  | <i>antarctica</i>                       | 129      | vii-2                  | Antarctic Ocean |                           |
|                      | <i>japonica</i>                         | 129      | vii-10                 | Sea of Japan    |                           |
|                      | <i>parda</i>                            | 131      | xviii-9                |                 |                           |
|                      | <i>shrubsoleana</i>                     | 131      | xviii-2                |                 |                           |
| <i>Pinnularia</i>    | <i>criophila</i>                        | 26       | xv-2                   | Antarctic Ocean |                           |
|                      | <i>raeana</i>                           | 25       | xv-3                   |                 |                           |
| <i>Plagiogramma</i>  | <i>margaritaceum</i>                    | 45       | xix-13                 |                 |                           |
|                      | <i>thaitense</i>                        | 45       | xix-4                  |                 |                           |
| <i>Pleurosigma</i>   | <i>arafurensis</i>                      | 38       | xxvii-5                |                 |                           |
|                      | <i>elegantissimum</i>                   | 37       | xxvii-1                | Sea of Japan    |                           |
|                      | <i>japonicum</i>                        | 38       | xxix-14                | Sea of Japan    |                           |

| Genus                 | Species                                   | Page     | Plate-Figure      | Sea / Ocean     | Plate (Tuji et al., 2009) |
|-----------------------|---|----------|-------------------|-----------------|---------------------------|
|                       | <i>smithianum</i>                         | 38       | xxviii-2          |                 |                           |
|                       | <i>thattense</i>                          | 38       | xxviii-4          |                 |                           |
| <i>Porodiscus</i>     | <i>stolterfothii</i>                      | 139      | xii-8             |                 |                           |
| <i>Rhaphoneis</i>     | <i>elliptica</i>                          | 49       | xxvi-13           | Sea of Japan    |                           |
|                       | <i>japonica</i>                           | 49       | xix-12            | Sea of Japan    |                           |
|                       | <i>mammalis</i>                           | 48, 49   | xxvi-3            |                 |                           |
| <i>Phizosolenia</i>   | <i>arafurensis</i>                        | 74, 75   | xxx-12            |                 |                           |
|                       | <i>flaccida</i>                           | 74       | xxix-4            |                 |                           |
|                       | <i>inaequalis</i>                         | 71       | xxiv-15           |                 |                           |
|                       | <i>inermis</i>                            | 71       | xxiv-7, 8, 10, 13 | Antarctic Ocean |                           |
|                       | <i>japonica</i>                           | 72       | xxiii-7           | Sea of Japan    |                           |
|                       | <i>murrayana</i>                          | 72       | xxiv-12           | Antarctic Ocean |                           |
|                       | <i>polydactyla</i>                        | 71       | xxiv-2            | Antarctic Ocean |                           |
|                       | <i>sima</i>                               | 71       | xxiv-11           | Antarctic Ocean |                           |
| <i>Rutilaria</i>      | <i>edentula</i>                           | 92       | xviii-14          |                 |                           |
|                       | <i>tulkii</i>                             | 92       | xviii-11          |                 |                           |
| <i>Stauroneis</i>     | <i>breissonii</i>                         | 24       | xv-4              |                 |                           |
|                       | <i>glacialis</i>                          | 24, 25   | xxvii-11          | Antarctic Ocean |                           |
|                       | <i>pacifica</i>                           | 23       | xx-9              |                 |                           |
|                       | <i>pygmaea</i>                            | 25       | xxix-7            |                 |                           |
|                       | <i>thaitiana</i>                          | 23       | xx-16             |                 |                           |
| <i>Stephanopyxis</i>  | <i>campana</i>                            | 88       | xix-14            | Sea of Japan    |                           |
|                       | <i>kittoniana</i>                         | 87       | ix-5              |                 |                           |
|                       | <i>rapax</i>                              | 88       | ix-9              | Antarctic Ocean |                           |
| <i>Stictodiscus</i>   | <i>affinis</i>                            | 119      | i-4               |                 | 8                         |
|                       | <i>affinis</i> var. <i>latezonata</i>     | 119      | xvii-11           |                 | 6, 7                      |
|                       | <i>anceps</i>                             | 116, 121 | i-5               | Sea of Japan    |                           |
|                       | <i>bicoronatus</i>                        | 115, 120 | vi-5              | Sea of Japan    | 5                         |
|                       | <i>bicoronatus</i> var. <i>punctigera</i> | 121      | xiii-2            |                 |                           |
|                       | <i>elegans</i>                            | 121      | xiii-3            | Sea of Japan    | 8                         |
|                       | <i>hexagonus</i>                          | 122      | xvii-17           |                 |                           |
|                       | <i>japonicus</i>                          | 119      | i-2               | Sea of Japan    |                           |
|                       | <i>margaritaceus</i>                      | 120      | xvii-12           |                 | 6, 7                      |
|                       | <i>radiatus</i>                           | 117      | i-1               |                 |                           |
|                       | <i>radfordianus</i>                       | 118      | xvii-10           |                 |                           |
|                       | <i>reticulatus</i>                        | 120      | i-8               |                 |                           |
|                       | <i>trigonus</i>                           | 122      | xiii-1            | Sea of Japan    |                           |
|                       | <i>varians</i>                            | 120      | xvii-7            |                 |                           |
| <i>Synedra</i>        | <i>atlantica</i>                          | 53       | xxv-16            |                 |                           |
|                       | <i>capitulata</i>                         | 52       | xxv-13            |                 |                           |
|                       | <i>fimbriata</i>                          | 52       | xxv-14            |                 |                           |
|                       | <i>lanceolata</i>                         | 52, 53   | xxv-20            |                 |                           |
|                       | <i>lanceolata</i> var. <i>thaitiensis</i> | 53       | xxv-18            |                 |                           |
|                       | <i>philippinarum</i>                      | 52       | xxv-15            |                 |                           |
| <i>Syatephania</i>    | <i>raeana</i>                             | 151      | x-11              |                 |                           |
|                       | <i>argus</i>                              | 60       | x-9               | Sea of Japan    |                           |
|                       | <i>dives</i>                              | 59, 60   | x-4               |                 |                           |
|                       | <i>grandiuscula</i>                       | 61       | x-5               |                 |                           |
|                       | <i>japonica</i>                           | 60       | x-8               | Sea of Japan    |                           |
|                       | <i>multicostata</i>                       | 61       | x-6               |                 |                           |
|                       | <i>ocellata</i>                           | 60       | x-7               | Sea of Japan    |                           |
|                       | <i>thaitiana</i>                          | 61       | xix-3             |                 |                           |
| <i>Thalassiothrix</i> | <i>curvata</i>                            | 55       | xxiv-6            | Sea of Japan    |                           |
| <i>Toxonidea</i>      | <i>challengeriensis</i>                   | 39       | xxvi-15           |                 |                           |
| <i>Triceratium</i>    | <i>abyssale</i>                           | 111      | xiii-6            |                 |                           |
|                       | <i>arcticum</i> var. <i>keruelensis</i>   | 107      | xiii-7            |                 |                           |
|                       | <i>calvescens</i>                         | 107      | ix-1              | Sea of Japan    |                           |
|                       | <i>cariosum</i>                           | 108      | vi-6              |                 |                           |
|                       | <i>coronatum</i>                          | 108      | vi-7              |                 |                           |
|                       | <i>favus</i> var. <i>late-areolata</i>    | 109      | ix-3              | Sea of Japan    |                           |
|                       | <i>favus</i> var. <i>pacifica</i>         | 109      | vi-1              |                 |                           |
|                       | <i>ferox</i>                              | 107      | vi-4              | Sea of Japan    |                           |
|                       | <i>grunowianum</i>                        | 110, 111 | vi-5              |                 |                           |
|                       | <i>increassatum</i>                       | 110      | ix-10             | Sea of Japan    |                           |
|                       | <i>insutum</i>                            | 111      | xxv-7             |                 |                           |
|                       | <i>pavimentosum</i>                       | 108      | xiii-8            | Sea of Japan    |                           |
|                       | <i>pulvillus</i>                          | 106      | vi-8              |                 |                           |
|                       | <i>punctigerum</i>                        | 108      | xiii-4            |                 |                           |
|                       | <i>sarcophagus</i>                        | 109      | vi-3              |                 |                           |
|                       | <i>thaitiense</i>                         | 106      | xiii-14           |                 |                           |
|                       | <i>tumescens</i>                          | 109      | vi-9              | Sea of Japan    |                           |